Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3666	(707/104.1).CCLS.	USPAT; USOCR	OR	OFF	2007/05/29 02:51
L3	210	(348/207.1).CCLS.	USPAT; USOCR	OR	OFF	2007/05/29 02:51
L4	677	(382/190).CCLS.	USPAT; USOCR	OR	OFF	2007/05/29 02:51
L5	848	(382/239).CCLS.	USPAT; USOCR	OR	OFF	2007/05/29 02:50
\$35 7	1	(((histogram or edge or texture) adj feature) same (image adj feature)) and "20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/29 02:35
\$35 8	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$35 9		"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S36 0	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S36 1	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$36 2	196	((((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S36 3	33	S362 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$36 4	935	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

C26	30	\$254 same (hou or lab or lan)	HE DODIED	OB	ON	2007/05/20 02:20
S36 5	26	S364 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$36 6	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$36 7	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S36 8	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S36 9	2	"20040024758" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 0	53	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 1	. 22	S370 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 2	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$37 3	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
537 4	493	(content near3 based near3 image near3 retrieval) or (content\$1based\$1image\$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

			T :		Τ_	T
S37 5	223	S374 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 6	145	S375 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 7	2	S374 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 .8	, 114	(representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S37 9	3	S378 and ((sub near3 feature) or (sub\$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S38 0	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S38 1	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
538 2	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$38 3	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
538 4	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S38	0	determine same (representative near3 points) same distance	US-PGPUB;	OR	ON	2007/05/29 02:36
5		same (feature adj space)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S38 6	1	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S38 7	1	"20040024758".pn. and (representative adj point) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$38 8	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S38 9	15	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$39 0	1645	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/29 02:36
S39 1	8	S390 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
539 2	229	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S39 3	9980	S392 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S39 4	14	S392 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S39 5	1	"5995978".pn. and k\$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$39 6		(k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S39 7	1	((k\$1means near3 algorithm) same image) same (feature adjextraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S39 8	1	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S39 9	26	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 0	1	(feature near3 extraction) and (image near3 sementation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 1	1565	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 2	6421	S401 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 3	220	S401 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 4	10	S403 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

\$40 5	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 6	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$40 7	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S40 8	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$40 9	2	"6006226" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S41 0	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S41 1	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36
S41 2	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S41 3	0	"5933823":pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S41 4	15376	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S41 5	107	S414 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/05/29 02:36
S41 6	922	feature near3 correspond\$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S41 7	16	S416 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S41 8	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S41 9	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S42 0	18	(segment\$4 near3 (display or image or graphic)) and (segment\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S42 1	244	(three near6 (divi\$5 or segment\$5)) and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/29 02:36
S42 2	13	(three near6 (divi\$5 or segment\$5)) same (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S42 3	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S42 4	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S42 5	17	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S42 6	0	(generate or construct) same (hierarchcal near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S42 7	178	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S42 8	18	S427 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S42 9	13	S427 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S43 0	11	S429 not S428	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36
S43 1	5	S427 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S43 2	1559168	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S43 3	57367	S432 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S43 4	1	S433 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$43 5	1	S433 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S43 6	1	S433 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S43 7	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S43 8	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$43 9	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 0	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 1	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 2	196	(((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 3	935	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
544 4	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
544 5	. 0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 6	53	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S44 7	493	(content near3 based near3 image near3 retrieval) or (content\$1based\$1image\$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 8	223	S447 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S44 9	114	(representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 0	0	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 1	1645	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 2	229	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 3	9980	S452 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 4	1	((k\$1means near3 algorithm) same image) same (feature adjextraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$45 5	1	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 6	1565	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36

\$45 7	6421	S456 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S45 8	220	S456 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$45 9	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 0	. 0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 1	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 2	15376	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 3	922	feature near3 correspond\$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 4	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S46 5	244	(three near6 (divi\$5 or segment\$5)) and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 6	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 7	0	(generate or construct) same (hierarchcal near3 structure) same (directory near3 layers) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S46 8	178	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S46 9	13	S468 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 0	1559168	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 1	57367	S470 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 2	1	S471 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 3	1	S471 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 4	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$47 5	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 6	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S47 7	1	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S47	1	"20040024758".pn. and (representative adj point)	US-PGPUB;	OR	ON	2007/05/29 02:36
8		20040024736 .pri. and (representative adj point)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2007/03/25 02:30
S47 9	1	"20040024758" pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 0	1	"5995978".pn. and k\$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 1	1	(feature near3 extraction) and (image near3 sementation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 2	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 3	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 4		S471 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 5	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 6	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 7	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S48 8	33	S442 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S48 9	26	S443 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 0	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 1	2	"20040024758" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 2	22	S446 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 3	2	S447 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 4		S449 and ((sub near3 feature) or (sub\$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36
\$49 5	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 6	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 7	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

			T			
S49 8	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S49 9	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$50 0	15	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S50 1	8	S451 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S50 2	14	S452 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S50 3	26	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$50 4	10	S458 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$50 5	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S50 6	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$50 7	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S50 8	2	"6006226" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S50 9	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36
S51 0	107	S462 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S51 1	16	S463 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S51 2	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S51 3	18	(segment\$4 near3 (display or image or graphic)) and (segment\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S51 4	13	(three near6 (divi\$5 or segment\$5)) same (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S51 5	17	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$51 6	18	S468 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S51 7	11	S469 not S516	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$51 8	5	S468 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S51 9	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$52 0	145	S448 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S52 1	147	(k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S52 2	2	"20050119995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$52 3	74947	(identif\$4 or detect\$4 or find\$4 or retreiv\$4) near5 ((name adj variations) or alias\$4 or names)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$52 4	275	S523 and ((criminal near5 investigation) or (background adj check) or (identity adj check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S52 5	409	S523 and ((criminal near5 investigation) or (background adj check) or (identity adj theft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S52 6	5094	(identif\$4 or detect\$4 or find\$4 or retreiv\$4) near5 ((name adj variations) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S52 7	3376	(identif\$4 or detect\$4 or find\$4 or retreiv\$4) near5 ((name adj variations) or alias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S52 8	17	(identif\$4 or detect\$4 or find\$4 or retreiv\$4) near5 ((name adj variations))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S52 9	0	"5287278".pn. and (search same (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 0	0	"5287278".pn. and (search and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 1	0	"5287278".pn. and (query and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 2	0	"5287278".pn. and (loate and (name or variation)) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$53 3	2	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 4	0	"6502095".pn. and (group)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 5	. 2	"6502095".pn. and (lazy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 6	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 7	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S53 8	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36

			····		· · · · · · · · · · · · · · · · · · ·	,
S53 9	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 0	196	(((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 1	33	S540 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 2	935	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 3	26	S542 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 4	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 5	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 6	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/05/29 02:36
S54 7	2	"20040024758" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S54 8	53	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

		r	т	T		
S54 9	22	S548 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 0	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 1	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 2	493	(content near3 based near3 image near3 retrieval) or (content\$1based\$1image\$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 3	- 223	S552 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 4	145	S553 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 5		S552 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/29 02:36
\$55 6	114	(representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S55 7	3	S556 and ((sub near3 feature) or (sub\$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$55 8	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

100		•				
\$55 9	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 0	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 1	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 2	0	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 3	1	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 4	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 5	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 6	15	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 7	1645	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S56 8	. 8	S567 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S56 9	229	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 0	9980	S569 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 1	14	S569 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$57 2	1	"5995978".pn. and k\$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 3	147	(k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 4	1	((k\$1means near3 algorithm) same image) same (feature adjextraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 5	1	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 6	26	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 7	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S57 8	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S57 9	1	(feature near3 extraction) and (image near3 sementation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 0	1565	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 1	6421	S580 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 2	2	"6006226" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 3	220	S580 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 4	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 5	10	S583 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 6	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 7	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S58 8	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

\$58 9	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S59 0	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$59 1	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S59 2	15376	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S59 3	107	S592 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/05/29 02:36
\$59 4	922	feature near3 correspond\$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S59 5	16	S594 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S59 6	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S59 7	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
S59 8	18	(segment\$4 near3 (display or image or graphic)) and (segment\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2007/05/29 02:36
\$59 9	13	(three near6 (divi\$5 or segment\$5)) same (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
\$60 0	244	(three near6 (divi\$5 or segment\$5)) and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36

S60 1	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36
S60 2	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 02:36